## Instalação da VPN em macOS Big Sur

**1º Passo:** Aceda ao site: <u>https://tunnelblick.net/</u>. Faça download do ficheiro de imagem (.dmg) clicando em **"Download Latest Stable Release"**.

<b>∞ ⊖</b> ko	•	< >	(	D	🔒 tun	nelblick.net	Ø	<b>3</b> C	Ĵ		G
	Tun	nelk	olick	free s macC	oftware for C S	DpenVPN	lon	We need trans languages	lators for seven	al	
Home	Do	wnloads	s Si	upport	Documents	Issues	Source	Contribute	Contact		
Dow Sta	mioad La ble Relea Support	atest ase	Tunnelb There al other int Tunnelb OpenVF OpenVF To use T VPN ser Tunnelb accorda	lick helps e no ads, r iormation. lick comes N, easy-rs N configur unnelblick ver is the c lick is licen nce with th is a registere	you control OpenV no affiliate markete We just supply ope as a ready-to-use a, and tun/tap driv ration and encrypti- you need access to ther end. For more used under the GNU ne terms of that lice ad trademark of OpenV	/PN® VPNs of ers, no trackin application w ers). No addi on information to a VPN serve e information U General Pu ense.	n macOS. It g — we don y for fast, eas with all necess n. ver: your com , see Getting blic License,	is Free Software t even keep logs y, private, and se sary binaries and tion is necessary uputer is one end VPN Service. version 2 and m	that puts its us of your IP add acure control of d drivers (includ r — just add yo of the tunnel a ay be distribute	ers first ress or VPNs. ing ur nd the id only	t.
Deutsch	Français	中文(简体	\$) Русскі	ій Español	日本語 This page was last up	pdated 2020-03	-22. Copyright	© 2015-2021 by The	Tunnelblick Projec	:t. GDPF	R Info

2º Passo: Abra o ficheiro descarregado.

•••	< > Downloads	≔≎	) ~ ‱	b ⊘ ⊕• q
Documents	Name	Size	Kind	Date Added
	🖹 Tunnelblick_3.8.5_build_5670.dmg	15,9 MB	Disk Image	Today at 06:50
Locations				
🍘 Install macOS Bi 🔺				
Tags				
Red				
Orange				
Yellow				
Green				
Blue				
Purple				
Grey				
All Tags				

3º Passo: Faça duplo-clique no ícone da aplicação Tunnelblick para começar a instalação. Clique em "Open".

Double-click to begin tart mit Doppelklick	
Tunnelblick Online Documewebloc	
ouble-cliquez pour commencer	
Double-cliquez pour commencer 双击开始 Haga doble clic para comenzar	
)oppio click per iniziare Іважды кликните для начала	
Dubbel-klicka för att börja	
<u>Clique-duplo</u> para começar とダブルクリックして開始する Dubbelklik om te starten	
<u>oobbelt-klikk</u> for å starte 시작하려면 이중 클릭	
eu doble clic per començar	

4º Passo: Clique em "Continue".

000	Tunnelblick
	Tunnelblick         Welcome to         Tunnelblick can access tunnelblick.net         to check for updates when it is         launched and periodically while it is         runnelblick can access tunnelblick.net         to check that your computer's         apparent public IP address changes         Check for updates         Check for IP address changes         Check for IP address changes         More Info [tunnelblick.net]
	Feu doble clic per comencar
Tunnelblick > In Tunnelblick	

5º Passo: Preencha os dados de login do seu computador. Clique "Ok".

-	
	Tunnelblick
	Double-click to begin Tunnelblick must be installed in Applications. Do you wish to install Tunnelblick 3.8.5 (build 5670) to macS HD/Applications?
	Enter your password to allow this. Username: Tecnico SI Password: ••••••• Cancel OK
	をダブルクリックして開始する Dubbelklik om te starten <u>Dobbelt-klikk</u> for å starte 시작하려면 이중 클릭 Feu doble clic per començar
Tunnelblick > 🍙 Tunnelblick	

6º Passo: Quando a instalação terminar, clique em "Quit".



7º Passo: Faça duplo-clique no ficheiro de configuração "tecnico.ovpn".

• • •	< > Downloads			Ŀ ⊘ ⊙ ·	
Documents	Name	Size	Kind	Date Added	
Ownloads	🗟 tecnico.ovpn	4 KB	OpenVuration	Today at 07:00	
Locations	Tunnelblick_3.8.5_build_5670.dmg	15,9 MB	Disk Image	Today at 06:50	
Install macOS Bi ≙					
Tags					
Red					
Orange					
Yellow					
Green					
Blue					
Purple					
Grey					
All Tags					

**8º Passo:** Clique em **"All Users"** para instalar o ficheiro de configuração para todos os utilizadores do computador.



9º Passo: Preencha os dados de login do seu computador.

Tunnelblick needs to: • Install one configuration					
Enter your password to allow this.					
Username:	Tecnico SI				
Password:	••••••				
	Cancel				

## Ligação da VPN em macOS Big Sur



1º Passo: Abra a aplicação Tunnelblick que está na pasta "Applications".

2º Passo: Clique em "Connect".

	Configurations	
Configurations Appearance P	references Utilities Info	Enter admin mode
✓ Configurations tecnico	Log Settings 2021-04-13 07:03:34.074187 *Tunnelblick: macOS 11.0.1 (20B29); Tunnelblick 3.8.5 (build 5670)	
+ - * -	Copy Diagnostic Info to Clipboard  Disconnect	Connect

## **3º Passo:** Preencher os seguintes campos:

- Username: istxxxxx@tecnico.ulisboa.pt, onde istxxxxx corresponde ao Técnico ID
- Password: password de autenticação

	Configurations	
Configurations Appearance	Preferences Utilities Info	Enter admin mode
<ul> <li>Configurations</li> <li>tecnico</li> </ul>	Log Settings	
	Tunnelblick: Login Required	
	Resource A username and password are required to connect to tecnico	j.ovpn Icnico.tblk/Contents/
	kmfgjk Username: istxxxxxx@tecnico.ulisboa.pt	1
	Save in Keychain	
	Password:         ••••••••••••••••••••••••••••••••••••	-w -ptADGNWradsgnw -w -ptADGNWradsgnw
	2021-0 2021-0 2021-0 2021-0 2021-04-13 07:05:12.931491 MANAGEMENT: CMD 'noid release'	'help' for more info
+-*~	? Copy Diagnostic Info to Clipboard Dis	sconnect Connect

## 4º Passo: A ligação está estabelecida.

	Configurations	
Configurations Appearance	Preferences Utilities Info	Enter admin mode
✓ Configurations tecnico	Log         Settings           07:06:09 "Tunnelblick:         Did not change SMB NetBIOSName setting from " to 1 07:06:09 "Tunnelblick:         Did not change SMB NetBIOSName setting of " 07:06:09 "Tunnelblick:         Did not change SMB Workgroup setting of " 07:06:09 "Tunnelblick:         Did not change SMB WiNSAddresses setting of 07:06:09 "Tunnelblick:         DNS servers '193.136.152.82 193.136.152.81'           the VPN is active         07:06:09 "Tunnelblick:         NOTE: The DNS servers do not include any free Tunnelblick. This may cause DNS queries to fall or be intercepted or falsified even if the Specify only known public DNS servers or DNS servers located on the VPN network to 07:06:09 "Tunnelblick:         Not Field the DNS cache via dsoacheutil 07:06:09 "Tunnelblick:         Not field mDNSResponder that the DNS cache 07:06:09 "Tunnelblick:           07:06:09 "Tunnelblick:         Notified mDNSResponder that the DNS cache 07:06:09 "Tunnelblick:         End of output from client.up.tunnelblick.sh 07:06:09 "Tunnelblick:           07:06:09 "Tunnelblick:         Setting up to monitor system configuration with 07:06:09 "Tunnelblick:         End of output from client.up.tunnelblick.sh 07:06:09 "Tunnelblick:           021:04-13 07:06:09.540366 MANAGEMENT:         2021:04-13 07:06:09.540366 MANAGEMENT:         > STATE:1618322769,CONNECTED,SUCCESS,10.2.12.114,193.136.132.134,1194.,20 2021:04-13 07:06:10.86558* "Tunnelblick: DNS address 193.136.152.28 is being route 2021:04-13 07:06:10.8655* "Tunnelblick: DNS address 193.136.152.28 is being route 2021:04-13 07:06:10.8655* "Tunnelblick: DNS address 193.136.152.28 is being route 2021:04-13 07:06:10.8655* "Tunnelblick: DNS address 193.136.152.28 is being route 2021:04-1	ecnico.ulisooa.pt if " will be used for DNS queries when e public DNS servers known to y are directed through the VPN. avoid such problems. the DNS cache via discoveryutil was flushed cache was flushed .process-network-changes emory use the auth-nocache option b01:690:2100:603::101b d through the VPN changed from 79.168.185.20 before
+ - *-	? Copy Diagnostic Info to Clipboard	Disconnect Connect